

advanced search :: customize preferences :: submit site :: help
"ethernet" "non-condensing" "temperature" "1 SEARCH

Results in: Any Language <u>English</u>

Web News Pictures Video

1 - 9 of 12 Results for "ethernet" "non-condensing" "temperature" "10-95"Offensive content filter: On - Off

Web Results (What's this?)

Product Information for Acctom PCMCIA Ethernet item FE2500

Audio

Product Info. Notebooks and Accessories / PCMCIA Accessories / Acctom PCMCIA Ethernet. FE2500 - Mecer Pcmcia 32BIT 10/100T (cardbus) Features. PCMCIA Card-Bus standard compliant. 32-bit bus-mastering data transfer 10Mbps or 100Mbps

more hits from: http://e.mecer.com/productinfo/Acctom_PCMCIA_Ethernet/fe2500.html - 4 KB

Datech Networks, Israel Computers Store Sales Repair

... Windows 95/ 98, Windows NT/2000/XP, Windows for Workgroup 3.11 ... Operating Temperature : 32~140°F (0-60°C) Operating Humidity:10-95% (Non-condensing) Certification : FCC Class ... more hits from: http://www.datech.co.il/produci_info.php?producis_id=1175 - 107 KB

http://www.sohoware.com/span/new_sohoware/newfiles/subpages/product/gah03d.htm Business Solutions. Latest News. Products. Firewall and VPN- WLAN & HotSpots- Access Servers-Managed Switches- NICs and Accessories- Print Servers- ... with credit card size PCMCIA Fast Ethernet adapter . This is designed for Type II ... Operating Temperature : 32~140°F (0-60°C) Operating Humidity:10-95% (Non-condensing) ...

more hits from: http://www.schoware.com/span/new_schoware/newfiles/subpages/product/gah03d.htm - 19 KB



Arise Industrial Single Board Computer, DX-4000

... 64MB (EDO or DRAM) Ethernet Controller. REALTEK RTL8029 (10Base-T & AUI) ... Temperature. Operating: 0~60°C. Storage -40~75°C. Humidity: 10%-95% (non-condensing) ... more hits from: http://www.arisecomputer.com/singlebrd/Dx-4000.asp - 19 KB

Lanworks Store

... DOS, Windows 95/ 98, Windows NT/2000/XP, Windows for Workgroup 3.11, Netware Server ... Operating Temperature: 32~140°F (0-60°C) Operating Humidity: 10-95% (Non-condensing) ...

from: http://www.lanworksstore.com/catalog/product_info.php/prod...7cacd62b3f921be7a64243127 - 24 KB

SBC82810 [Adobe PDF]

... 150 supported with RAID supported. Dual Ethernet as Fast Ethernet and Gigabit option ...

Temperature. 0~60°C, operation. Operation Humidity 10% ~ 95% relative humidity, non-condensing ...

more hits from: http://www.axiomtek.com.tw/Download/MKT_Materials/EPC/e3.pdf - 340 KB

SBC83680 [Adobe PDF]

... 10/100Base-T Ethernet. AC'97 Audio codec ... Operation Humidity. 10% ~ 95% relative humidity, non-condensing ... under Windows® 98/ME/2000, D1 and D2 up to ... more hits from: http://www.axiomtek.com.tw/images/data_sheet_files/sbc83680.pdf - 232 KB

Newegg.com - Once You Know, You Newegg

Newegg.com - A great place to buy computers, computer parts, electronics, software, accessories, and DVDs online. With great prices, fast shipping, and top-rated customer service - once you know, you Newegg. ... 10-95% (Non-condensing) Interface: 32bit CardBus. Operating Systems Supported: DOS, Windows 95/ 98, Windows NT/2000/XP ... Temperature: 32~140°F (0-60°C ...

more hits from: http://www.newegg.com/app/ViewProduct.asp? submit=BROWSE&manufactory=1924&DEPA=1 - 121 KB

SBC83680 [Adobe PDF]

... SBC83680 with onboard PIII 500MHz. CPU, CRT/LCD, Ethernet and Audio ... 98/ME/2000, D1 and D2 up to ... Operation Humidity. 10% ~ 95% relative humidity, non-condensing ... more hits from: http://www.plug-in.de/embedded/pdfs/SBC83680.pdf - 629 KB

Result Page: 1

"ethernet" "non-condensing" "temperature" "1 SEARCH search within your resu

OPERA compliant

Home :: Submit Site :: About Us :: Help

Copyright @ 2005 Overture Services, Inc.

Refine Search

Search Results -

Term	Documents
"10"	3159361
10S	2773
ТО	8190
"95"	472965
95S	150
ETHERNET	21050
ETHERNETS	261
((("10" ADJ TO) ADJ "95") AND ETHERNET).USPT.	0
(10 ADJ TO ADJ 95 AND ETHERNET).USPT.	0

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database:

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	***************************************
110	
310	· · · · · · · · · · · · · · · · · · ·
	20000000
	300000
	· · · · · · · · · · · · · · · · · · ·
	200000

Recall Text 👄 Clear

Refine Search

Interrupt

#### Search History

### DATE: Tuesday, June 07, 2005 Printable Copy Create Case

Set Nam side by sid		Hit Count Set Name result set	
DB=U	ISPT; PLUR=YES; OP=ADJ		
<u>L10</u>	10 adj to adj 95 and ethernet	0	<u>L10</u>
<u>L9</u>	10-95 and ethernet	0	<u>L9</u>
<u>L8</u>	L7 and operating adj temperature	9	<u>L8</u>
<u>L7</u>	L6 and temperature	11	<u>L7</u>
<u>L6</u>	ethernet and non-condensing and humidity	11	<u>L6</u>

<u>L5</u>	ethernet adj switch and humidity and non-condensing	0	<u>L5</u>
<u>L4</u>	L3	2	<u>L4</u>
<u>L3</u>	L2 and temperature	2	<u>L3</u>
<u>L2</u>	L1 and ethernet	2	<u>L2</u>
<u>L1</u>	60 adj degrees and non-condensing	8	<u>L1</u>

## END OF SEARCH HISTORY